Google scholar	(middlev	vare or agent) and synchro	oni and filter	Search Advanced Scholar Search		
	Scholar	Articles and patents	anytime	include citations	Create email alert	Results 1 - 67 of 67. (0.30 sec)

Did you mean: (middleware or agent) and synchrony and filter and "content server"

Middleware filter agent between server and PDA

X Xue... - US Patent App. 10/666,402, 2003 - Google Patents
... More particularly, the present invention relates to the field of providing a middle- ware **filter agent**to **filter** content sent between ... In this manner, the content received by the PC 32 is selectively filtered
by the **middleware filter** 34, such that only ... [0023] Data **synchronization** can also ...
All 2 versions

APPARATUS FOR TRANSFERRING ADVERTISING CONTENT TO A MOBILE TELEPHONE

L Bramley, R Bulmer, A Tiller... - US Patent App. 20,100/ ..., 2007 - freepatentsonline.com ... Attorney, **Agent** or Firm: Saul Ewing LLP (Philadelphia) (Attn: Patent Docket Clerk, 2 North Second St ... the automatic, background process is a data replication or **synchronisation** process between the telephone ... The mobile advertising **middleware** provides the following functions: ... Cached - All 3 versions

A Recommender Handoff Framework for a Mobile Device

C Zhu, M Ma, C Tan, G Chang, J Zhu... - Mobile Multimedia ..., 2010 - Springer ... when user moves from outside to inside a home the EPG recommendation **middleware** works from ... our prototype, to minimize consumption of power on a mobile device, **synchronization** of user ... Yu, et al [24] proposed an **agent** based system for program personalization under TV ... Related articles - All 2 versions

Method of Enabling a User to Interact with Content Received from a Remote Server

L Bramley, R Bulmer, A Tiller... - US Patent App. ..., 2008 - freepatentsonline.com ... Attorney, **Agent** or Firm: Saul Ewing LLP (Philadelphia) (Attn: Patent Docket Clerk, 2 North ... the automatic, background process is a data replication or **synchronization** process between the telephone and ... The mobile advertising **middleware** system provides the following functions. ... Cached - All 3 versions

Java application framework for use in a content delivery network (CDN)

AT Davis, J Parikh, S Pichai, E Ruvinsky... - US Patent App. 11/ ..., 2006 - Google Patents ... HTTP/1.0 Host: www.somehost.com Accept: text/plain, text/html User-**Agent**: SomeAgent/1.0 ... This request is intended to be processed by the JESAPI Sen/let **Filter** (external to the ... to interface users to the application, and one or more other tiers comprise **middleware** that provides ...

Cited by 49 - Related articles - All 5 versions

Agent Applications in Tourism

A Moreno - Issues in Multi-Agent Systems, 2008 - Springer

... The Rec- ommender **Agent** is notified about the position of the tourist, and it uses a sim- ilarity measure to **filter** which of the activities in the corresponding cell coincide with the preferences of the person. If any activity matches, it is automatically recommended to the tourist. ... Related articles - All 8 versions

[PDF] from psu.edu

[PDF] Intelligent and Ubiquitous Multimedia Services through Interactive Digital Broadcasting

JFK Yang - ee.uta.edu

... Provide better **synchronization** for mobile devices **... Middleware** System software/firmware Interpreter runtime engine Virtual machine libraries (API routines) resident software database **... Sync** Byte PID 8 1 1 1 13 2 2 Continuity Counter PES 1 PES 2 PES N Adaptation Field ...

[PDF] from uta.edu

Related articles - View as HTML - All 2 versions

Systems and methods for implementing modular DOM (Document Object Model)-based multi-modal browsers

D Boloker, RA Hosn, PJ Jang... - US Patent App. 10/ ..., 2001 - Google Patents Page 1. US 20020194388A1 (19) United States (12) Patent Application Publication (io> Pub. NO.: US 2002/0194388 Al Boloker et al. (43) Pub. Date: Dec. 19,2002 (54) SYSTEMS AND METHODS FOR IMPLEMENTING MODULAR ...

Cited by 29 - Related articles - All 4 versions

Canonical Scheduling for Heterogeneous Content Delivery

C Frink, S Krishnan, W Xu... - US Patent App. 20,100/ ..., 2010 - freepatentsonline.com ... Attorney, **Agent** or Firm: PROSKAUER ROSE LLP (ONE INTERNATIONAL PLACE, BOSTON, MA, 02110, US ... generally not on a packet-by-packet basis) to provide clock **synchronization** with the ... end component can, for example, be a data server, a **middleware** component, and ... <u>Cached - All 3 versions</u>

[PDF] from psu.edu

A hybrid model of context-aware service provisioning implemented on smart phones

O Riva... - Pervasive Services, 2006 ACS/IEEE ..., 2006 - ieeexplore.ieee.org ... different types of (contextual) information characterizing the user, and uses this to **filter** and/or ... can store items relatively to a certain location or topic, and a **synchronization** mechanism is ... the collection of context information on smart phones, we utilize the Contory **middleware** [12 ... Cited by 10 - Related articles - All 8 versions

[PDF] from ethz.ch

The DYNAMOS approach to support context-aware service provisioning in mobile environments

O Riva... - Journal of Systems and Software, 2007 - Elsevier

... types of (contextual) information characterizing the user, and uses it to **filter** and rank ... store items relatively to a certain location or topic, and a **synchronization** mechanism is ... Contory is a **middleware** specifically designed to provide alternative mechanisms of context provisioning ...

Cited by 8 - Related articles - All 4 versions

[PDF] A Model-Driven Development Framework for Non-Functional Aspects in Service Oriented Architecture

[PDF] from psu.edu

H Wada, J Suzuki... - International Journal of Web Services ..., 2008 - Citeseer ... implementation details of services and connections (eg, programming languages and remoting middleware) from application ... << filter>> Customizes the semantics of message transmission and message processing in a connector. ... 《enumeration》 Synchrony Sync Async Oneway ... Cited by 7 - Related articles - View as HTML - All 13 versions

System, apparatus, and method for a mobile information server

J Mononen, P Nykanen, S Pohja... - US Patent App. 10/ ..., 2003 - Google Patents ... [0038] A multicasting **agent**, IP Multicasting ... RTP/RTCP 230 also offers **synchronization** of data streams it carries by including a sequence number ... Service Discovery Protocol (SDP) and Radio Fre- quency Communication (RFCOMM) protocol represent **middleware** protocols of ... All 4 versions

Method, apparatus and system for hosting a group of terminals

M Torvinen - US Patent 7,352,997, 2008 - Google Patents ... Eaton et al 713/201 7,039,033 B2* 5/2006 2003/0027525 AI * 2/2003 2003/0154398 AI * 8/2003 * cited by examiner Primary Examiner—Sanh D. Phu (74) Attorney, **Agent**, or Firm ... 6 **CONTENT SERVER** FETCH PAGE 600 PARTICIPATING TERMINAL HOSTING TERMINAL FIG. ... Cited by 1 - Related articles - All 4 versions

[PDF] A QoS Content Adaptation Framework for Nomadic Users

KM El-Khatib - 2005 - Citeseer

... MobInTel is an **agent**-based **middleware** that uses the ... K. El-Khatib and Gv Bochmann, "**Agent** Support for Context-Aware Services and Personal Mobility, MATA 2003. Page 16. 16 ... covers the **synchronization** between time-dependent objects such as audio streams and ... Cited by 1 - Related articles - View as HTML - Library Search - All 8 versions

[PDF] Enabling Innovation Below the Communication API

G Ananthanarayanan, K Heimerl, M Zaharia... - 2009 - eecs.berkeley.edu ... a mobile phone might decide to fetch feeds over the cellular interface, but **synchronize** any attached ... servers also need access to cookies and HTTP head- ers, like the user **agent**, when they ... may install a global **filter**, without having to configure each application to use the **filter**. ... Related articles - View as HTML - All 2 versions

Service/device indication with graphical interface

M Aholainen... - EP Patent 2,234,373, 2010 - freepatentsonline.com
... Attorney, **Agent** or Firm: Derry, Paul Stefan (Venner Shipley LLP 20 Little Britain, London EC1A
7DH ... in the class-of-device (CoD) field of a frequency hop **synchronization** (FHS) packet ... The
memory 202 also includes the Bluetooth **middleware** protocol group 224 that includes the ...
Cached

APIs and Application Platforms for Next - Generation Mobile Networks

R Jain... - Wiley Online Library

... Its principal new component is the soft switch, or call **agent**. A soft switch is the "brains" behind the convergence in the converged network. ... Tool Client Applications Distributed Computing

[PDF] from psu.edu

[PDF] from berkeley.edu

Middleware Distributed Computing Middleware Parlay Framework ...

[PDF] A New Communications API

G Ananthanarayanan, K Heimerl, M Zaharia... - 2009 - eecs.berkeley.edu
... phone might decide to fetch feeds over the cellular interface, but **synchronize** any attached ... URIs, web servers also use cookies and HTTP headers like the user **agent** when they ... take advantage of novel approaches for determining the near- est **content server** without application ...

Related articles - View as HTML - All 3 versions

[PDF] from berkeley.edu

[PDF] from kth.se

[PDF] A new Content Distribution Network architecture-PlentyCast

CW Qiu, GQ Maguire Jr... - 2004 - it.kth.se

... Correction techniques. A compact introduction of Mobile **Agent** technology will be conducted in chapter four. After ... the users. Here, a client first sends a request to a **content server** via an application layer protocol such as HTTP [38]. After ...

Cited by 1 - Related articles - View as HTML

System and method for asynchronous client server session communication

OSM Van Den... - US Patent App. 20,030/041,147, 2001 - freepatentsonline.com
... Attorney, **Agent** or Firm: FLIESLER DUBB MEYER & LOVEJOY, LLP (FOUR EMBARCADERO ... implementations of client operating systems, server database systems and **middleware** protocols connecting the ... system (and its Win32 APIs) to further optimize **synchronization** of user ... Cached

Service/device indication with graphical interface

M Aholainen... - US Patent 7,589,726, 2009 - Google Patents ... No. 10/504,410, filed Aug. 13, 2004, Hamberg. (Continued) Primary Examiner—Ryan R Yang (7'4) Attorney, **Agent**, or Firm ... No. 10/954,197, filed Oct. 1, 2004, Malinen et al. Forner, "A Multi-**Agent** Referral System for Matchmaking", MIL Media Lab, Apr. 22, 1996, pp. 245-261. ... Related articles - All 6 versions

[PDF] Ambient Computing and Embedded Systems

RB Atlantique - Citeseer

... is quite small. Another example is Web browsing; a mobile device might decide to **filter** applets and images from downloaded pages in order to reduce the device CPU time needed to process the page. Data adaptability requires ...

View as HTML - All 4 versions

[PDF] from psu.edu

Teamware: An evaluation of key technologies and open problems

D Georgakopoulos - Distributed and Parallel Databases, 2004 - Springer ... weapons a supervisor may need to form teams to gather field samples, perform lab tests and determine determine the presence of an **agent**, and identify the ... **Sync**. ... An engine **synchronizing** the (possibly concurrent) activities of team members is the core of such a groupware tool. ... Cited by 11 - Related articles - BL Direct - All 4 versions

Method and apparatus for internet-based interactive programming

CW Shusman - US Patent App. 11/335,200, 2006 - Google Patents

Page 1. US20060179454A1 (19) United States (12) Patent Application Publication GO)

Pub. NO.: US 2006/0179454 Al Shusman (43) Pub. Date: Aug. 10,2006 (54) METHOD

AND APPARATUS FOR INTERNET-BASED INTERACTIVE ...

All 4 versions

Personalization services for entities from multiple sources

AB Lamkin, GI Gewickey... - US Patent App. 10/860,351, 2004 - Google Patents
... Inp s Reqi Co icst Search T for "roviae /" N Entity Name prov Service de Entity ID llections T° ec lon I Locator ^ Search I Seek Collection ^" for Collecti V Dn) T Request Ent ity New Center it _ Request Search Content ID Acq Agent lor Entities Search Engine Provide C< jllection ...
All 7 versions

[PDF] CTECHNICA

DIN MOBILE - herkules.oulu.fi

... The client comprises of the DRM controller, currently more often called a DRM **Agent**, which is the ... The improved version of the method uses better error correction and **synchronization** methods, and the paper presents ... 2007), **middleware** based on the layered model is proposed ... Related articles - View as HTML

[PDF] from oulu.fi

[PDF] Survey on grid and peer-to-peer network technologies

L Ciminiera, A Sanna... - 2002 - iwayan.info

... 11 Figure 5 P2P with a Discovery, Lookup, and Content Server [3]. ... 12 ... Bond [6] is a Java based distributed object system and agent framework ... It implements a message based middleware and associated services like directory, persistence, monitoring ...

Cited by 6 - Related articles - View as HTML - All 5 versions

[PDF] from iwayan.info

[воок] Mobile computing

AK Talukder, RR Yavagal... - 2005 - books.google.com

... Internet). This chapter deals with multi-tier architecture of application development and its significance. It dis- cusses various types of **middleware**, their functions, roles, and how can they be used to implement mobile services. This ...

Cited by 6 - Related articles - All 2 versions

[PDF] Tools for User-assisted Behavioral Monitoring, of Distributed

K Ravindran - 2005 - dtic.mil

... in proceedings of 1t International Conference on Communication System Software and **Middleware** (COMSWARE 2006 ... a web page due to the crash of a 'content distribution' **agent** node ... employed at network infrastructure level to provide a service (eg, '**sync**' message exchanges ... Related articles - View as HTML

[PDF] from dtic.mil

Tools for User-Assisted Behavioral Monitoring of Distributed Information Networks

K Ravindran... - 2005 - oai.dtic.mil

... in proceedings of 1t International Conference on Communication System Software and

[PDF] from dtic.mil

Middleware (COMSWARE 2006 ... a web page due to the crash of a 'content distribution' **agent** node ... employed at network infrastructure level to provide a service (eg, '**sync**' message exchanges ... Related articles - All 3 versions

[BOOK] Resource discovery and Security in Distributed systems

L Larsen - 2007 - Citeseer

... In this paper I have gone through the basic theory of network topology, protocols and security and explained "search engine", "Middleware", "Distributed Hash Table" and the JXTA protocol. ... We can use middleware to translate the information on the network. ...

View as HTML - All 3 versions

[воок] Practical WAP: developing applications for the wireless web

C Bennett - 2001 - books.google.com

... Aware Networks and Devices 324 FUTURE COMPETING TECHNOLOGY 324 J2ME 325 I-Mode 326 IP over Mobile Networks 327 FUTURE APPLICATIONS 327 Entertainment 328 Location Aware 328 Push 329 M-Commerce 329 Mobile **Middleware** 330 CONCLUSION 331 ...

Cited by 9 - Related articles - Library Search - All 2 versions

[воок] Microsoft Content Management Server Field Guide

FP Briand... - 2005 - books.google.com

... Areas of interest include **middleware** technologies, enterprise-wide systems, database technologies, application development, server ... **Content server**: The core MCMS engine. ... CHAPTER 1 s CONFIGURING THE PLATFORM 6 • ISAPI **filter** and security service: Serves HTTP ... Library Search

[PDF] Web page performance analysis

TK Chiew - 2009 - theses.gla.ac.uk

... Appendices 208 1 Notations of Times 209 2 Parsing of HTTP Requests and Responses by the Muffin Proxy Server 210 3 Response Time Measurement **Filter** for Muffin Proxy Server: The Source Code 212 4 Response Time and Responsiveness Monitor: The Source Code 214 ... Related articles - View as HTML - All 2 versions

METHODS AND SYSTEMS FOR AUTOMATIC CONTENT RETRIEVAL AND ORGANIZATION

EK Chow - US Patent 20,100,313,250, 2010 - freepatentsonline.com

... Attorney, **Agent** or Firm: TOWNSEND AND TOWNSEND AND CREW, LLP (TWO EMBARCADERO CENTER, EIGHTH ... The user therefore may be able to select and **filter** content based on his ... to implement this functionality may include use of a messaging **middleware** such as ... Cached

[воок] NET mobile web developer's guide

S Milroy... - 2002 - books.google.com

... Amit currently resides in Wixom, MI with his wife Priti. Steve Milroy is a Mobile/Wireless Technologist and is currently with a nationwide e-solutions company, Immedient. He is working on a number of WAP, VoiceXML, and wireless **middleware** projects. ...

Cited by 1 - Related articles - Library Search - All 3 versions

[PDF] from psu.edu

[PDF] from gla.ac.uk

[воок] SAP NetWeaver

L Heilig... - 2005 - computershopping.ch

... 395 12.2.1 Rich Product Content Management (RPCM) .. 396 12.2.2 Global Data

Synchronization (GDS) 427 13.5.5 Conversion Agent 428 13.5.6 Partner

Connectivity Kit 448 14.2.3 SAP Content Server

Cited by 3 - Related articles - View as HTML - Library Search - All 6 versions

[PDF] Personalized Guide on the Web

R Zhou - freidok.uni-freiburg.de

... Der Content Server beinhaltet eine Datenbank mit Inhalten, auf der räumliche und nicht-räumliche Suchanfragen durchgeführt werden können und ermöglicht inhaltsbezogene Web-Dienste. ... 71 5.4 Content filter

Related articles - View as HTML

DELTACASTING FOR LIVE CONTENT

WB Sebastian - US Patent 20,100,281,105, 2010 - freepatentsonline.com ... Attorney, **Agent** or Firm: TOWNSEND AND TOWNSEND AND CREW LLP;VIASAT, INC. ... As such, another request for the same VOD movie, even from the same **content server**, may have ... For example, the MAC module 450 may modulate, encode, **filter**, decrypt, and/or otherwise ... Cached

[PDF] International Cooperation Activities in Future and Emergine ICTs

M Hölzl... - pst.ifi.lmu.de

... Coordination of different nodes or interacting systems is often programmed in coordination or or- chestration languages, which are essentially programming languages augmented with some features for programming compositions and possibly integrated into a **middleware**. ...

Related articles - View as HTML - All 2 versions

[PDF] Secure Push in Wireless Environments

J Heikkinen - 2007 - Citeseer

Related articles - View as HTML - All 7 versions

[воок] Heterogeneous Wireless Access Networks: Architectures and Protocols

E Hossain - 2008 - books.google.com

... Estimation of interference at the primary receivers, dynamic adaptation of transmission parameters, and **synchronization** between a secondary transmitter and a ... The proxy-based approach relies on a proxy **agent** which makes the wireless random losses transparent to TCP. ...

Cited by 4 - Related articles - Library Search - All 2 versions

Advertising Platform Transaction Management

[PDF] from computershopping.ch

[PDF] from uni-freiburg.de

[PDF] from lmu.de

[PDF] from psu.edu

M Nolet, CB O'kelley... - US Patent App. 20,100/ ..., 2010 - freepatentsonline.com ... Attorney, **Agent** or Firm: OCCHIUTI ROHLICEK & TSAO, LLP (10 FAWCETT STREET, CAMBRIDGE, MA ... to enable members of the impression trading industry to **synchronize** their user ... occurs when multiple impression seller members attempt to simultaneously **sync** their user ... Cached

[BOOK] Wireless sensor networks: technology, protocols, and applications

K Sohraby, D Minoli... - 2007 - books.google.com

... 168 5.5.3 Schedule Selection and Coordination, 169 5.5.4 Schedule **Synchronization**, 170 5.5 ... network protocols for wired and wireless communications, sensor networks, network security, **agent**-based technology with collaborative environments, and **middleware**. ...

Cited by 108 - Related articles - Library Search - All 6 versions

[воок] IPTV security: protecting high-value digital contents

D Ramirez - 2008 - books.google.com

... Protocol 143 5.3.6.3 MPEG-2 Video Stream 143 5.3.6.4 MPEG-4 Video Stream 144 5.3.6.5

DSM-CC 144 5.3.6.6 RTSP 145 5.4 IPTV Subscriber – Home End 145 5.4.1 Set Top Box 145

5.4.2 STB Executing Software 147 5.4.2.1 DRM Software 147 5.4.2.2 Middleware Client SW ...

Cited by 9 - Related articles - Library Search - All 4 versions

Optimization strategies for QoS-sensitive VOD service delivery in cooperative environments

WJ Jeon - 2007 - ideals.illinois.edu

... 20 2.4 **Middleware** architecture of a cache manger and peer clients peers regarding a peer membership and state information change. Instead, peers **synchronize** such ... With the development of distributed computing such as the remote method invocation and mobile **agent**[39] ... Related articles - All 6 versions

GENERATING CUSTOMIZED MARKETING MESSAGES FOR A CUSTOMER USING DYNAMIC CUSTOMER BEHAVIOR DATA

RL Angell... - US Patent App. 20,080/249,859, 2007 - freepatentsonline.com
... Attorney, **Agent** or Firm: Duke, Yee W. (YEE AND ASSOCIATES, PC, PO BOX 802333, DALLAS, TX, 75380, US). Claims: What is claimed is: 1. A computer implemented method for customizing digital media marketing messages using customer behavior data, the computer ...

Cached

[PDF] XMPP-based Media Sharing for Mobile Collaboration with Android Phones

B Söllner - 2009 - rn.inf.tu-dresden.de

... lists). Beyond, XMPP recently evolved into a protocol used in the realm of message oriented **middleware** [Joh05]. Thus, it can be used in much broader domains, eg shared editing or collaborative drawing - and file transfer. XMPP ...

Related articles - View as HTML - All 2 versions

[PDF] from tu-dresden.de

[PDF] from illinois.edu

[PDF] State-of-the-art report on applicable tools and technologies and market survey

A Sanna, F Lamberti, G Paravati, L Ciminiera... - Technology - victory-eu.org

... 28 Figure 3: P2P with discovery server. 29 Figure 4: P2P with a Discovery, Lookup, and

[PDF] from victory-eu.org

Content Server. 31 Figure 5: P2P network with super-peers.

Related articles - View as HTML

IPDFI of Deliverable: The Status of Basic Relays and Gateways

KE Nielsen - 2001 - cs.ucl.ac.uk

... application grows. In come cases, an application-level security middleware is defined;

While situated at the application level, it has Application Level Interfaces (APIs), which

are designed to be used by different applications. Link ...

Related articles - View as HTML

ADVERTISING PLATFORM USER DATA STORE MANAGEMENT

M Nolet, CB O'kelley, AS Dilling... - US Patent App. 12/ ..., 2010 - Google Patents Page 1. (i9) United States (12) Patent Application Publication Nolet et al. US 20100268603A1 (io) Pub. No.: US 2010/0268603 AI (43) Pub. Date: Oct. 21, 2010 (54) ADVERTISING PLATFORM USER DATA STORE MANAGEMENT ...

GENERATING CUSTOMIZED MARKETING MESSAGES FOR A CUSTOMER USING DYNAMIC CUSTOMER BEHAVIOR

DATA

RL Angell... - US Patent App. 11/771,252, 2007 - Google Patents ... MODELS PSYCHOGRAPHIC DATA EXTERNAL DATA GRANULAR DEMOGRAPHICS DERIVED MARKETING MESSAGES DYNAMIC MARKETING MESSAGE ASSEMBLY /CUSTOMIZED\ 1 MARKETING) 630 -^ \MESSAGEX CONTENT SERVER MODULAR MARKETING ...

[воок] Towards a global 3G system: advanced mobile communications in Europe

R Prasad - 2001 - books.google.com

... 118 Chapter 4 Enabling Technologies 123 4.1 Introduction 123 4.2 Flexible Integrated Radio

Systems Technology— The Project FIRST 124 4.3 High-Temperature Superconductivity in Mobile

Base Stations—The Project SUCOMS/CoolTalk 132 4.3.1 Filter Development 136 4.3 ...

Cited by 5 - Related articles - Library Search - All 4 versions

[PDF] A Comprehensive Environment for Collaborative Web Browsing-Pragmatic Specification and Development Approach

[PDF] from ufes.br

[PDF] from psirp.org

[PDF] from ucl.ac.uk

R de Oliveira Santos - inf.ufes.br

... development process. 3. Design an architecture capable of maintaining a high synchronization

perception for ... Places distributed interactions distributed interactions The time dimension

regards the synchronization of users' interactions. When users are ...

Related articles - View as HTML - All 3 versions

IPDFI of Contract Publish-Subscribe Internet Routing Paradigm

M Ain, S Tarkoma, D Trossen, P Nikander... - 2008 - psirp.org

... Many parts of our architectural vision have their counterparts in contemporary fields of research.

Figure 3.2 illustrates how work on the Semantic Web [Ber2001] or policy runtimes, as well as

in agent technology, fits into the architectural implementation of our vision. ...

Related articles - View as HTML - All 4 versions

Using Distributed Technology for Teaching Distributed Systems

[PDF] from tcd.ie

DW Thornton - 1999 - tara.tcd.ie

... 19 2.6.2 Streamed Media Servers..... 20 2.7 Middleware Applications Internet will act as the

binding agent and students will access the educational environment using a web browser. ...

[воок] Wireless sensor networks

K Sohraby, D Minoli... - 2007 - kexue.com.cn

... 168 5.5.3 Schedule Selection and Coordination, 169 5.5.4 Schedule Synchronization, 170 5.5 ...

network protocols for wired and wireless communica- tions, sensor networks, network security,

agent-based technology with collaborative environments, and middleware. ...

Cited by 13 - Related articles - View as HTML - All 18 versions

Frameworks for Multimedia Standardization

DA Milovanovic - Wiley Online Library

... Society. We continue with ETSI standardization process for application, middleware,

and networks. We ... recommendations. The end user interfaces will be extended to

incorporate the performance of middleware into the GII. The ...

Related articles - All 2 versions

[PDF] Second International Workshop on Adaptation and Evolution in Web Systems Engineering (AEWSE'07)

J Gomez, N Koch, G Rossi, S Dustdar... - ICWE 2007 ..., 2007 - dei.polimi.it

... 58 Rubén Mondéjar, Pedro Garcia Lopez, Carles Pairot and Antonio F. Gómez Skarmeta. Adaptive

Peer-to-Peer Web Clustering using Distributed Aspect Middleware (Damon).... ...

Related articles - View as HTML

FACILITATING TRANSFER OF PUSH AND PULL MESSAGES FOR REMOTELY TESTING MOBILE DEVICES

R Hug... - US Patent App. 20,090/207,743, 2008 - freepatentsonline.com

... 20090103499, BEACON AND MOBILE TERMINAL SYNCHRONIZATION AND METHOD

THEREOF, April, 2009, ... Attorney, Agent or Firm: QUALCOMM INCORPORATED (5775)

MOREHOUSE DR., SAN DIEGO ... of claim 11, further comprising an application filter module ...

Cached

Signage

GM Gelman... - US Patent App. 20,100/118,200, 2009 - freepatentsonline.com

... Attorney, Agent or Firm: Geoffrey, Gelman (14 Berkeley Pl, Brooklyn, NY, 11217, US). Claims:

Applicants claim ... contact; apply a noise filter to the first trajectory; and apply a blurring filter to the ...

The screen driver may provide a go-between or **middleware**, that allows eg, the CPU to ...

Cached

[воок] <u>Föderative Unternehmensprozesse: Technologien, Standards und Perspektiven für vernetzte Systeme</u>

J Wagner... - 2004 - books.google.com

... Denn bei der Mächtigkeit von Basisprodukten, Middleware und Frameworks macht es heute

kaum Sinn, über Architektu- ren zu schreiben, ohne dabei die Produkte zu nennen, welche

diese unterfüttern, und ja selbst die Architekturen vorgeben. ...

Related articles - Library Search - All 3 versions

[PDF] from kexue.com.cn

[PDF] from polimi.it

A taxonomy and analysis of web wrapping technologies

SE Madnick, JR Williams... - 2004 - dspace.mit.edu

... 3.1.21 Database Driver 23 3.2 The 2nd-Tier Taxonomy 23 CHAPTER 4 ANALYSIS OF WEB

WRAPPING TOOLKITS 25 4.1 **Agent** Builder 25 4.2 cameleon 25 4.3 ContentMaster 27 4.4 DB2

Information Integrator for Content 28 4.5 Integration Platform 30 4.6 Mine the Web 31 4.7 ...

Related articles

[PDF] Adaptive Scheduling Algorithm Selection in a Streaming Query System

B Pielech - 2004 - wpi.edu

... data. The **middleware** application would have little control over query execution ... running the **filter** operators on a single processor sharing CPU power and memory. When ... The Tukwila project [9] proposed the use of **synchronization** packets to "tell" each ...

Related articles - View as HTML - Library Search - All 3 versions

Detecteren, representeren en uitbuiten van de mogelijkheden van het apparaat van de eind-gebruiker

T CREEMERS - 2009 - doclib.uhasselt.be

Page 1. Auteursrechterlijke overeenkomst Opdat de Universiteit Hasselt uw eindverhandeling wereldwijd kan reproduceren, vertalen en distribueren is uw akkoord voor deze overeenkomst noodzakelijk. Gelieve de tijd te nemen ...

Related articles

[PDF] Arquitectura SIP IPTV para Redes Heterogéneas

ER de Comunicações - 2009 - dspace.ist.utl.pt

Page 1. Arquitectura SIP IPTV para Redes Heterogéneas Arquitectura de Cliente João Ricardo Dias Domingues Dissertação para obtenção do Grau de Mestre em Engenharia de Redes de

Comunicações Júri Presidente: Professor Doutor Rui Jorge Morais Tomaz Valadas ...

Related articles - View as HTML

Create email alert

Did you mean to search for: (middleware or agent) and **synchrony** and filter and "content server"

(middleware or agent) and synchr

Go to Google Home - About Google - About Google Scholar

Search

©2011 Google

[PDF] from mit.edu

[PDF] from wpi.edu

[PDF] from uhasselt.be

[PDF] from utl.pt